

ALUCA®

ALUCA product world

EASY ▪ SAFE ▪ INDIVIDUAL





ALUCA[®]



Best support for your everyday work

Are you on the road a lot of the time using a mobile workshop? Do you need your equipment to remain safely stowed away and intuitively within reach, ready for use?

At ALUCA, we develop and produce custom solutions just for you so that your everyday work becomes even easier and you can enjoy the best possible support for your daily business activities. ALUCA vehicle systems flexibly adapt to your requirements and the challenges you face. Your mobile workshop will be a safe, well thought-out and clearly organised

workplace. Your everyday work tasks will literally become easier and you can enjoy the benefits of premium quality down to the smallest detail to ensure efficient workflows and satisfied customers.

We share our quality promise with you by offering a unique 8-year premium warranty on your vehicle devices.

Are you ready to find the perfect solution for your vehicle?

Page

ALUCA dimension2 7

The underbody system - a solution for make optimum use of the space in your vehicle

Your benefits	8
Partition and plug-in wall sets	10
Insetbox sets	14

ALUCA system 17

Workshop to go – easily and smartly carry out your everyday mobile work activities

Your benefits	18
Support frame	20
Holder for slide key	20
Side panel	21
Shelf and bottom flap	21
Flap for side support frame	21
Drawers	23
Partition and plug-in wall sets	24
Insetboxes for drawers	26
Troughs	28
Racking shelves	30
Case storage	31
Case tray	31
Case clamping system	32
Door element	32
Heavy duty floor pullouts	33
Gas bottle rack	33
Workbenches	34
ALUCA system accessories	38

Vehicle racking 41

Start. Work. Pro. – Ready-to-install solutions for your industry that meet your needs

Start. Work. Pro.	41
For each vehicle	42

Page

Loading compartment equipment 45

Maximum safety both for you and your vehicle

Side panel cladding	47
Partition wall protection	49
Base plates	48
Lashing rails	50
Tension belts	52
Transport set for gas cylinders	54
Net for securing loads	54
Locking bars	55
Ladder holder	57
Window bars	57
Anti-slip mats	58

ALUCA Easy-Box Series 61

The ALUCA range of cases and boxes ensure you can view things extra clearly in your vehicle

Your benefits	61
V-BOX	63
LV-Box	64
Eurobox	65
M-Case	67
ALU-Case	68
FlexiStack	71
L-BOXX	73
Load securing case	77

other accessories 79

Functionality down to the smallest details in your vehicle

Your benefits	79
Securing the load on the vehicle	80
Tailgate ladder	83
Step	83
Load securing in the vehicle	84
Hygiene	90
Ventilation and venting	92
Electronic fixtures	94
Warning and emergency accessories	100



ALUCA

ALUCA



ALUCA dimension2


ALUCA dimension2 provides optimised organisation with its large-capacity drawers. Vehicle equipment can also remain accessible

at all times, even if there is a full loading area. This solution allows all equipment, materials and accessories to be stored ergonomically.

THE UNDERBODY SYSTEM - A SOLUTION TO OPTIMISE USE OF SPACE IN YOUR VEHICLE

- ✓ Additional storage space and organisation for commercial vehicles with a fully usable loading area
- ✓ Maximum payload with minimum unladen weight
- ✓ Say goodbye to chaos and hunting for items: Quick and clear access to contents in the loading area
- ✓ Practical and safe storage of tools and equipment – this doesn't just protect your equipment, but you as well!
- ✓ Ergonomic loading and unloading of drawers outside of the vehicle
- ✓ Can be used in combination with the ALUCA system and supplemented with ALUCA accessories
- ✓ On top: 8 year premium warranty

ALUCA dimension2 offers countless combination options.




All dimensions are provided in mm.

Downsizing

Compact city runabouts are increasing in popularity. Heavier traffic, a shortage of parking spaces in city centres and the pressure of rising costs may lead to large vans being replaced by more compact commercial vehicles. The smaller the loading space, the more flexible and effective any equipment in the vehicle needs to be.

ALUCA dimension2 provides a wide range of options to meet these requirements, bringing order and ergonomics to the compact vehicle class.

ALUCA dimension2 drawers come in any dimensions – custom individual solutions can be provided for every use.





Features

- Heavy duty rails can be fully extended
- Drawer pull-out can be separated for removing drawer (for maintenance and cleaning)
- Surface load of drawers up to 80 kg
- Pinch protection device for improved work safety at a front height of 150 mm (available as an option)
- with ergonomic and robust drawer handle
- Drawers have a safety locking device on both sides
- Anti-slip mats, partitions and plastic boxes ensure good organisation and quick access
- low centre of gravity for neutral drive characteristics





PARTITION AND PLUG-IN WALL SETS



- each set divides one drawer
- The divided sections can be changed and added in terms of the dimension of the plug-in walls





Item no.	Fig.	Suitable for drawer H x W x D (mm)
107548	1	100 x 360 x 940
107371	1	100 x 460 x 940
107549	1	100 x 582.5 x 940
107550	1	100 x 705 x 940
103575	1	150 x 360 x 940
103578	1	150 x 460 x 940
105306	1	150 x 582.5 x 940
103581	1	150 x 705 x 940
106653	1	200 x 460 x 940
106654	1	200 x 582.5 x 940
107579	1	250 x 460 x 940
107580	1	250 x 582.5 x 940
106655	1	300 x 460 x 940
106656	1	300 x 582.5 x 940
107595	1	350 x 460 x 940
107596	1	350 x 582.5 x 940
107551	2	100 x 360 x 1040
107552	2	100 x 460 x 1040
107553	2	100 x 582.5 x 1040
107554	2	100 x 705 x 1040
103576	2	150 x 360 x 1040
103579	2	150 x 460 x 1040
105307	2	150 x 582.5 x 1040
103582	2	150 x 705 x 1040
106657	2	200 x 460 x 1040
106658	2	200 x 582.5 x 1040
107581	2	250 x 460 x 1040
107582	2	250 x 582.5 x 1040
106659	2	300 x 460 x 1040
106660	2	300 x 582.5 x 1040
107597	2	350 x 460 x 1040
107598	2	350 x 582.5 x 1040



Item no.	Fig.	Suitable for drawer H x W x D (mm)
107555	3	100 x 360 x 1140
107556	3	100 x 460 x 1140
107557	3	100 x 582.5 x 1140
107558	3	100 x 705 x 1140
103577	3	150 x 360 x 1140
103580	3	150 x 460 x 1140
105308	3	150 x 582.5 x 1140
103583	3	150 x 705 x 1140
106661	3	200 x 460 x 1140
106662	3	200 x 582.5 x 1140
107583	3	250 x 460 x 1140
107584	3	250 x 582.5 x 1140
106663	3	300 x 460 x 1140
106664	3	300 x 582.5 x 1140
107600	3	350 x 582.5 x 1140
107559	4	100 x 360 x 1240
107560	4	100 x 460 x 1240
107561	4	100 x 582.5 x 1240
107574	4	150 x 360 x 1240
106665	4	150 x 460 x 1240
106666	4	150 x 582.5 x 1240
106667	4	200 x 460 x 1240
106668	4	200 x 582.5 x 1240
107585	4	250 x 460 x 1240
107586	4	250 x 582.5 x 1240
106669	4	300 x 460 x 1240
106670	4	300 x 582.5 x 1240
107601	4	350 x 460 x 1240
107602	4	350 x 582.5 x 1240



Item no.	Fig.	Suitable for drawer H x W x D (mm)
107562	5	100 x 360 x 1340
107563	5	100 x 460 x 1340
107564	5	100 x 582.5 x 1340
107575	5	150 x 360 x 1340
106671	5	150 x 460 x 1340
106672	5	150 x 582.5 x 1340
106673	5	200 x 460 x 1340
106674	5	200 x 582.5 x 1340
107587	5	250 x 460 x 1340
107588	5	250 x 582.5 x 1340
106675	5	300 x 460 x 1340
106676	5	300 x 582.5 x 1340
107603	5	350 x 460 x 1340
107604	5	350 x 582.5 x 1340
107565	6	100 x 360 x 1440
107566	6	100 x 460 x 1440
107567	6	100 x 582.5 x 1440
107576	6	150 x 360 x 1440
106677	6	150 x 460 x 1440
106678	6	150 x 582.5 x 1440
106679	6	200 x 460 x 1440
106680	6	200 x 582.5 x 1440
107589	6	250 x 460 x 1440
107590	6	250 x 582.5 x 1440
106681	6	300 x 460 x 1440
106682	6	300 x 582.5 x 1440
107605	6	350 x 460 x 1440
107606	6	350 x 582.5 x 1440



Item no.	Fig.	Suitable for drawer H x W x D (mm)
107568	7	100 x 360 x 1540
107569	7	100 x 460 x 1540
107570	7	100 x 582.5 x 1540
107577	7	150 x 360 x 1540
106683	7	150 x 460 x 1540
106684	7	150 x 582.5 x 1540
106685	7	200 x 460 x 1540
106686	7	200 x 582.5 x 1540
107591	7	250 x 460 x 1540
107592	7	250 x 582.5 x 1540
106687	7	300 x 460 x 1540
106688	7	300 x 582.5 x 1540
107607	7	350 x 460 x 1540
107608	7	350 x 582.5 x 1540
107571	8	100 x 360 x 1640
107572	8	100 x 460 x 1640
107573	8	100 x 582.5 x 1640
107578	8	150 x 360 x 1640
106689	8	150 x 460 x 1640
106690	8	150 x 582.5 x 1640
106691	8	200 x 460 x 1640
106692	8	200 x 582.5 x 1640
107593	8	250 x 460 x 1640
107594	8	250 x 582.5 x 1640
106693	8	300 x 460 x 1640
106694	8	300 x 582.5 x 1640
107609	8	350 x 460 x 1640
107610	8	350 x 582.5 x 1640





INSETBOX SETS

With the ALUCA Insetboxes, it is possible to divide the drawers of your vehicle devices exactly as you wish, while always ensuring that your equipment is properly sorted, in view, and quickly within reach. Small parts stay exactly where they should do, meaning less time spent searching and more time for your everyday work.

- each set divides one drawer
- made from impact-resistant plastic
- ideal for drawers with a front height of 100 mm

Item no.	Fig.	W x D (mm)
108419	1	360 x 940
108427	2	460 x 940
108435	3	582.5 x 940
108443	4	705 x 940
108420	5	360 x 1040
108428	6	460 x 1040
108436	7	582.5 x 1040
108444	8	705 x 1040
108421	9	360 x 1140
108429	10	460 x 1140
108437	11	582.5 x 1140
108445	12	705 x 1140





Item no.	Fig.	W x D (mm)
108422	13	360 x 1240
108430	14	460 x 1240
108438	15	582.5 x 1240
108423	16	360 x 1340
108431	17	460 x 1340
108439	18	582.5 x 1340
108424	19	360 x 1440
108432	20	460 x 1440
108440	21	582.5 x 1440
108425	22	360 x 1540
108433	23	460 x 1540
108441	24	582.5 x 1540
108426	25	360 x 1640
108434	26	460 x 1640
108442	27	582.5 x 1640





System ALUCA

We have developed an entire product world for your sector that meets your needs, by offering you 29 different installation heights, 5 depths of installation and 8 bay widths in terms of customisation. By optimally combining


the individual components, you can achieve a fitting-out solution that meets your requirements and wishes. This not only transforms your vehicle into a mobile workshop or warehouse, but also helps to secure the load.

WORKSHOP TO GO –

EASILY AND SMARTLY CARRY OUT YOUR EVERYDAY MOBILE WORK ACTIVITIES

- ✓ Enjoy efficient and economically optimal work processes so that you can increase productivity as a result of structured and clearly arranged equipment
- ✓ The countless number of extension options ensures maximum flexibility so that you can make your everyday work activities easier and simplify handling both in and on the vehicle
- ✓ Optimised use of space down to the smallest detail
- ✓ Cut down search times looking for items: Quick and clear access to contents in the loading area
- ✓ Safe and gentle transport of your work materials and equipment
- ✓ Can be used in combination with ALUCA dimension2 and supplemented with ALUCA accessories
- ✓ On top: 8 year premium warranty

ALUCA components come in numerous dimensions and can be combined in almost any way. This means each commercial vehicle can be optimally set up depending on your requirements.





ALUCA
SYSTEM



SUPPORT FRAME

- heavy duty aluminium construction
- uniform system perforation in a 25 mm grid enables fixing of attachments
- **29 heights**
from 250 to 1450 mm
- **5 depths**
250, 320, 420, 520, 735 mm
- Support frame width 30 mm

ACCESSORIES FOR SUPPORT FRAME



104545



104546

HOLDER FOR VALVE KEY

- simple, fast and space-saving transport lock for valve keys, manhole cover hooks, etc.
- includes an aluminium bracket for support frame and matching PE pipes
- comes in different depths
- Ladder rubber optional

Item no.	Ø (mm)	Depth of construction
104544	75	320
104545	125	420
104546	75	420
104547	75	520



PE PIPES

- matching PE pipes for aluminium bracket

Item no.	Ø (mm)
104842	125
104841	75



SIDE PANEL

- to cover the side of the device block
- with ALUCA system perforation for additional fixing of tool holders



SHELF AND BOTTOM FLAP

- made from torsion-free, anodized aluminium profile
- can be used in front of the compartment and shelves as well as a bottom flap
- Flap fully swivels downwards for compartment and racking shelf
- Heights: 125 and 175 mm
- flap height possible up to 350 mm



FLAP FOR SIDE SUPPORT FRAME

- facilitates the removal of long and narrow components, as well as bulky items
- or provides direct access to technical installations

Item no.	Depth (mm)	Height (mm)
103243	320	125
103244	420	125
103245	520	125
103246	320	175
103247	420	175
103248	520	175





DRAWERS

- Anodized aluminium profile fascia
- ergonomic and robust drawer handle
- optionally fitted with lock (can also be retrofitted)
- safety interlock on both sides
- **100% full extension**
with locking when completely open
- **Pull-out can be divided**
for easy removal of the drawer
(e.g. for cleaning or maintenance)
- **Dividing options and accessories**
Anti-slip mats, partition and plug-in walls, insetboxes
- **8 bay widths**
360, 460, 582.5, 705, 827.5, 950, 1195, 1440 mm
- **4 depths**
320, 420, 520, 735 mm
- **Drawer front heights**
100, 150, 200, 250, 300 mm
other heights and drawer attachments are available on request
- **Loading capacity (area load)**
 - with aluminium pull-outs up to 40 kg
 - with heavy-duty pull-outs up to bay width 705 mm
max. 80 kg
 - with heavy-duty pull-outs from a bay width of 827.5 mm
max. 60 kg

ACCESSORIES FOR DRAWER







LOCK

- for safe storage of high quality tools and materials
- 2 keys included

Item no.

102937



PARTITION AND PLUG-IN WALL SETS


- each set divides one drawer
- The divided sections can be changed and added in terms of the dimension of the plug-in walls

Item no.	Fig.	Suitable for drawer H x W x D (mm)
102621	1	100 x 360 x 320
102629	1	100 x 360 x 420
102637	1	100 x 360 x 520
102748	1	100 x 360 x 735
102622	1	100 x 460 x 320
102630	1	100 x 460 x 420
102638	1	100 x 460 x 520
102749	1	100 x 460 x 735
104779	2	100 x 582.5 x 320
104780	2	100 x 582.5 x 420
104781	2	100 x 582.5 x 520
104782	2	100 x 582.5 x 735
102623	2	100 x 705 x 320
102631	2	100 x 705 x 420
102639	2	100 x 705 x 520
102750	2	100 x 705 x 735
109872	2	100 x 827.5 x 320
109873	2	100 x 827.5 x 420
109874	2	100 x 827.5 x 520
102624	3	100 x 950 x 320
102632	3	100 x 950 x 420
102640	3	100 x 950 x 520
108920	4	100 x 1195 x 320
108922	4	100 x 1195 x 420
108924	4	100 x 1195 x 520
108926	5	100 x 1440 x 320
108928	5	100 x 1440 x 420
108930	5	100 x 1440 x 520



PARTITION AND PLUG-IN WALL SETS

- each set divides one drawer
- The divided sections can be changed and added in terms of the dimension of the plug-in walls





Item no.	Fig.	Suitable for drawer H x W x D (mm)
102625	1	150 x 360 x 320
102633	1	150 x 360 x 420
102641	1	150 x 360 x 520
102751	1	150 x 360 x 735
102626	1	150 x 460 x 320
102634	1	150 x 460 x 420
102642	1	150 x 460 x 520
102752	1	150 x 460 x 735
104783	2	150 x 582.5 x 320
104784	2	150 x 582.5 x 420
104785	2	150 x 582.5 x 520
104786	2	150 x 582.5 x 735
102627	2	150 x 705 x 320
102635	2	150 x 705 x 420
102643	2	150 x 705 x 520
102753	2	150 x 705 x 735
109875	2	150 x 827.5 x 320
109876	2	150 x 827.5 x 420
109877	2	150 x 827.5 x 520
102628	3	150 x 950 x 320
102636	3	150 x 950 x 420
102644	3	150 x 950 x 520
108921	4	150 x 1195 x 320
108923	4	150 x 1195 x 420
108925	4	150 x 1195 x 520
108927	5	150 x 1440 x 320
108929	5	150 x 1440 x 420
108931	5	150 x 1440 x 520



INSETBOXES FOR DRAWERS

With the ALUCA Insetboxes, it is possible to divide the drawers of your vehicle devices exactly as you wish, while always ensuring that your equipment is properly sorted, in view, and quickly within reach. Small parts stay exactly where they should do, meaning less time spent searching and more time for your everyday work.






Item no.	Fig.	W x D (mm)
102572	1	360 x 320
102573	2	360 x 420
102574	3	360 x 520
102575	4	360 x 735
102576	5	460 x 320
102577	6	460 x 420
102578	7	460 x 520
102579	8	460 x 735
104793	9	582.5 x 320
104794	10	582.5 x 420
104795	11	582.5 x 520
104796	12	582.5 x 735
102580	13	705 x 320
102581	14	705 x 420
102582	15	705 x 520
102583	16	705 x 735
109878	17	827.5 x 320
109879	18	827.5 x 420
109880	19	827.5 x 520



INSETBOXES FOR DRAWERS

- made from impact-resistant plastic
- in 6 different sizes
- ideal for drawers of a height of 100 mm
- available in sets, which divide one drawer size
- The divided sections can be changed and added in terms of the dimension of the plug-in walls



Item no.	Fig.	W x D (mm)
102584	20	950 x 320
102585	21	950 x 420
102586	22	950 x 520
108932	23	1195 x 320
108933	24	1195 x 420
108934	25	1195 x 520
108935	26	1140 x 320
108936	27	1140 x 420
108937	28	1140 x 520



BOX FOR LENGTHY GOODS

- variable length from 1760 to 3200 mm
- Height 100 mm
- Flap for easy removal of long tools and equipment

Item no.	Depth (mm)
102505	230
102506	300
102507	400



ITEM BOX

- three variable lengths:
900 - 1665, 1625 - 2915, 1650 - 3165 mm
- Height: 100 mm
- without flap on the side

Item no.	W (mm)	L (mm)
100846	300	900 - 1665
100847	400	900 - 1665
100848	500	900 - 1665
107727	300	1625 - 2415
107728	400	1625 - 2415
107729	500	1625 - 2415
100849	300	1650 - 3165
100850	400	1650 - 3165
100851	500	1650 - 3165


ACCESSORIES FOR LENGTHY GOODS AND ITEM BOXES



ELEVATED TRACK

- height-adjustable elevated track for fixing lengthy goods and item boxes on the vehicle device
- **Adjustment ranges**
Height 150 - 250 mm, 250 - 450 mm
Depth 200 mm

Item no.	Height (mm)
103241	150 - 250
102508	250 - 450



SUPPORT

- with variable angle for fixing lengthy goods and item boxes on vehicle rails

Item no.	Depth (mm)
102509	220



RACKING SHELVES

- **8 bay widths**
360, 460, 582.5, 705, 827.5, 950, 1195, 1440 mm
- **3 depths**
320, 420, 520 mm
- Upstand of 100 mm on the side and rear



SHELF TRAY

- **Shelf tray upper**
Upstand: rear 100 mm, front 100 mm
- **Shelf tray lower**
Upstand: rear 100 mm, front 50 mm
- **8 bay widths**
360, 460, 582.5, 705, 827.5, 950, 1195, 1440 mm
- **5 depths**
250, 320, 420, 520, 735 mm
- can be individually subdivided using shelf tray compartments; perfect for ALUCA LV-Box (part of the ALUCA Easy-Box Series)


ACCESSORIES FOR SHELF TRAY



SHELF TRAY PARTITION

- to individually subdivide the shelf tray

Item no.	Depth (mm)	Height (mm)
for lower shelf tray		
103193	250	50 / 100
100405	320	50 / 100
100406	420	50 / 100
100407	520	50 / 100
103325	735	50 / 100
for upper shelf tray		
103200	250	100
100423	320	100
100424	420	100
100425	520	100
103326	735	100



CASE STORAGE

- Only suitable for M-Case, Alu-Case and L-Boxx
- Securing pin to prevent case from falling out
- Depth: 420 mm and 520 mm

Item no.	Depth (mm)	Description
112161	420	Case storage 21 empty
112162	420	Case storage 21 Alu-Case
112163	420	Case storage 21 M-Case
112165	420	Case storage 21 T-BOXX
112166	420	Case storage 21 L-BOXX
112167	420	Case storage 21 L-BOXX 374
112173	520	Case storage 21 empty
112174	520	Case storage 21 Alu-Case
112175	520	Case storage 21 M-Case
112176	520	Case storage 21 T-BOXX
112177	520	Case storage 21 L-BOXX
112178	520	Case storage 21 L-BOXX 374



CASE TRAY

- for M-Case, Alu-Case and L-Boxx
- convenient one-handed operation
- safety interlock on both sides
- Bay width: 460 mm
- Depths: 420, 520 mm

Our range of cases can be found from page 63 onwards in the **ALUCA Easy-Box Series** section.



CASE CLAMPING SYSTEM

- Clamping unit for securing machine cases, product boxes or crates
- Infinitely adjustable
- Lock in place using a locking lever
- Robust construction made from an anodized aluminium profile and angle iron
- Height: 275 mm
- **8 bay widths**
360, 460, 582.5, 705, 827.5, 950, 1195, 1440 mm
- **3 depths**
320, 420, 520 mm



DOOR ELEMENT

- lockable aluminium door element
- Stop can be on the left or right
- Bay width: 460 mm
- 16 heights: from 300 to 1300 mm
- custom sizes available on request
- Clothes rail with hooks available as an option



* no external dimensions

HEAVY DUTY PULL-OUT UNIT

- flat load up to 200 kg
- flexible track rollers to ensure rails are safely guided
- 2/3 extendable
- 4 system widths*:
320, 420, 520 and 735 mm
- 10 system depths*:
705, 780, 827.5, 880, 950, 980, 1025, 1095, 1195, 1440
- with factory-installed lashing points for safe and secure transport
- Cover plate made from 12 mm plywood with anti-slip coating
- custom set-up options using fitting elements



HEAVY DUTY PULL-OUT UNIT (SPECIAL VERSION)

- comes in various lengths and widths
- flat load from 200 to 1000 kg
- Full-extension with heavy duty version

Custom manufacturing. Get in touch!



GAS BOTTLE RACK FOR REFRIGERANT AND PROPANE GAS

- for 6 or 8 bottles of a max. 260 mm in diameter
- Lashing straps with ratchet and fittings and aluminium lashing rails are all included in the delivery
- Shelf element fully assembled
- Tool holders, document compartments, hose coupling holders, etc. can be affixed to the front side

Option of heavy-duty pull-out.



WORKBENCH TOP

- Beech multiplex top
- waterproof, glued in accordance with BFU 100
- Surface has been oiled several times
- sits flush with furnishings
- for mounting on the support frame
- available cut to size
- available ready for assembly



ROLL-OFF EDGE FOR WORKBENCH TOP

- End of workbench top as a border edge
- Beech multiplex top
- waterproof, glued in accordance with BFU 100
- Height 75 mm, thickness 12 mm



FOLDING TABLE FITTINGS

- made from galvanized steel
- for fitting on the equipment side wall or directly on the vehicle side wall
- Can be adjusted in 3 stages (70°, 80°, 90°), making it optimal for parking on slopes
- can be combined with coated worktop - when not in use, the table will fold down to save space

Item no.	W (mm)
100909	30 x 200 x 300
100910	30 x 270 x 400



FOLDING WORKBENCH

- Worktop is glued together in several layers and edged using stainless steel U-profiles
- suitable for vices, either with or without rotary plate
- (jaw width 100 and 125 mm)
- Safety interlock

Can be retrofitted to many existing fittings.

Item no.	Description
100913	suitable for installation depth of 320 mm
100894	suitable for installation depth of 420 mm
100914	suitable for installation depth of 520 mm





EXTENDABLE WORKBENCH

- Beech multiplex top
- waterproof, glued in accordance with BFU 100
- edged along the sides with stainless steel U-profiles
- precise, low-maintenance management of the worktop
- Worktop can be locked
- integrated in crossbar (except with an installation depth of 320 mm)
- Vice, rotary plate, support foot and clamping lock available as accessories
- can be fitted on the left or right side

ACCESSORIES FOR WORKBENCHES



SUPPORT FOOT

- made from aluminium
- for an extendable or foldable workbench
- to provide support during heavy work
- Height can be adjusted from 630 - 1060 mm

Item no.	W x D x H (mm)
100892	30 x 30 x 630-1060



TOGGLE FASTENER

- made from galvanized steel
- for safe transport

Item no.	W (mm)
100893	70





PARALLEL VICE

- Clamping jaws made from hardened steel
- with pipe clamping jaws
- available in 3 sizes of jaw width – 100, 125 and 135 mm

Item no.	Jaw width (mm)
106299	100
106301	125
106303	135

ACCESSORIES FOR PARALLEL VICE



ROTARY PLATE

- made from hardened steel
- with a quick clamping lever

Item no.	Jaw width (mm)
106300	100
106302	125
106304	135



CAN BE EXTENDED VICE HOLDER

- for vices with a jaw width of 125 mm
- **available with and without a rotary plate**
- made from stainless steel and aluminium
- for mounting on the vehicle floor
- without end stop

Item no.	W x H x D (mm)	incl. rotary plate
101055	210 x 65 x 820	yes
101056	210 x 235 x 820	yes
101057	210 x 65 x 820	no
101058	210 x 235 x 820	no



STORAGE TRAY

- made from aluminium
- with anti-slip mat
- for fixing on the side wall
- comes in 3 different widths:
- 300, 400 and 500 mm
- For use on the vehicle device or on the side panel cladding on the vehicle

Item no.	W x D x H (mm)
100934	300 x 100 x 100
100935	400 x 100 x 100
100936	500 x 100 x 100



STORAGE BOX WITH 2 COMPARTMENTS

- made from aluminium with a surrounding protective profile
- for folders, books, etc.
- a practical addition to fittings or positioned in the driver's cab, e.g. between seats

Item no.	W x D x H (mm)
108938	350 x 313 x 226.5



DIN A4 DRAWING COMPARTMENTS

- made from aluminium
- Affixing of several compartments, possible to offset into each other

Item no.	W x H x D (mm)
100900	320 x 220 x 87
109809	250 x 280 x 90



COUPLING HOLDER

- made from aluminium
- ideal for all types of hoses and cables
- available in 2 sizes

Item no.	W (mm)
105614	250
105616	320



UNIVERSAL STORAGE BOX

The ALUCA universal storage box is really versatile. For the storage of DIN-A4 folders and the safe stowage of items such as fuel canisters. The storage box can also be used as universal storage located between the seats in the rear area.

As an option, it is possible to have it equipped with a safety belt, which can be very easily integrated into the storage box.



Item no.	Description	
112376	Universal box set with canister	10 litres
112377	V-Strap	for Universal box
112378	Universal box	loose

ACCESSORIES FOR UNIVERSAL STORAGE BOX



PETROL CAN

- 10 l HDPE black
- with UN approval, incl. outlet tube
- TÜV-approved production, meets the highest safety requirements even if there is a reduction in weight.

Item no.	W x D x H (mm)
110707	160 x 290 x 331.5



STRAPPING BELT WITH CLAMP LOCK

Item no.	L x W (mm)
110704	1000 x 25

Hersteller / Manufacturer: www.aluca.de
ALUCA GmbH
74538 Rosengarten
Germany

Einzel- / Einzelstück
ALUCA Servicecenter
74538 Rosengarten
Tel. +49 293 8309-0

ALUCA®
ALUCA GMBH • WESTRING 1
D-74538 ROSENGARTEN
MADE IN GERMANY

ALUCA
LADGEWICHTE LOAD WEIGHT

ALUCA	LOAD WEIGHT
ALUCA 100	100 kg
ALUCA 150	150 kg
ALUCA 200	200 kg
ALUCA 250	250 kg
ALUCA 300	300 kg
ALUCA 350	350 kg
ALUCA 400	400 kg
ALUCA 450	450 kg
ALUCA 500	500 kg
ALUCA 550	550 kg
ALUCA 600	600 kg
ALUCA 650	650 kg
ALUCA 700	700 kg
ALUCA 750	750 kg
ALUCA 800	800 kg
ALUCA 850	850 kg
ALUCA 900	900 kg
ALUCA 950	950 kg
ALUCA 1000	1000 kg






Start. Work. Pro.

Our ready-to-install, pre-configured vehicle racking has a proven track record with customers working in a wide range of industries. Your commercial vehicle is transformed into a well-organised mobile workshop. Depending on the size and type of vehicle, you can choose vehicle racking from the ALUCA Start, Work and Pro product lines to form the perfect solution for your vehicle. Sound interesting? Our contacts in your region will be glad to advise you.

- ✓ In a timeless, elegant design
- ✓ Low weight
- ✓ High strength and load capacities
- ✓ Easy care - Low maintenance - Corrosion resistant
- ✓ Unique 8 year warranty
- ✓ Crash tested and certified



FOR EVERY VEHICLE. FOR EVERY REQUIREMENT.

Flexibility that pays off: the ALUCA Start, Work and Pro product lines offer different solutions for you, all customised for your industry and requirements. Depending on the size and type of the vehicle, you can choose between various preconfigured and ready-to-install vehicle racks

that come in different designs and equipment. Whether you have a compact city van or a spacious van, every size can become well organised with the right tidying system for each vehicle.



Start

The universal vehicle device: Basic equipment fitted out for commercial vehicles with optimum use of space and productivity.





SMALL

MEDIUM

LARGE



Pro

Professional vehicle devices: For service and tradespeople with specific requirements in terms of organisation and productivity.

Work

For tradespeople with greater requirements and more extensive equipment.

ACCESSORIES FOR VEHICLE RACKING



Our entire range of cases and boxes start on page 61 under the **ALUCA Easy-Box Series**.

ALUCA®

ALUCA GMBH · WESTRING 1
D- 74538 ROSENGARTEN



MADE IN GERMANY



Loading compartment equipment

The ALUCA product range offers various components for loading space equipment such as base plates and side panel cladding, as well as elements for securing loads. Your ALUCA contact person will be glad to advise you.

Your benefits:

- ✓ Protect the vehicle body and floor
- ✓ Higher resale value of the vehicle







SIDE PANEL CLADDING ALUMINIUM

- made from perforated aluminium sheet
- with ALUCA system perforation
- **very robust**
- to accommodate tool holders, trays, shelves, etc.
- to protect the vehicle body
- for all common vehicle models
- individual elements are available, e.g. cladding for the rear doors and tailgates, or for individual areas of the vehicle



SIDE WALL CLADDING PLASTIC

- made from polypropylene (PP), light grey
- rot-proof and moisture resistant
- food-safe
- contour milled incl. holes for direct fixing to the vehicle
- Fixed using self-tapping screws, holders and clips (included in the scope of delivery)
- recyclable



PARTITION WALL PROTECTION

- perfect protection for the factory-installed partition wall
- ideal addition to safely transport goods in the hold
- very robust, yet also lightweight aluminium frame construction
- includes 2 lashing rails and fastening material
- vehicle-independent
- comes in 2 standard sizes
- Lashing straps optional

Item no.	W x H (mm)
108108	950 x 950
108109	1100 x 1000

Looking for custom production? Just ask!



ALUCA[®]
Lightweight mobile storage systems



BASE PLATES COVER PLATES

- Support material 12 mm birch plywood
- phenolic resin coating for anti-slip surface
- Panel underside has support strips to compensate for vehicle beading
- depending on vehicle type, one or several parts
- flush-mounted aluminium kick plates at the rear and at the sides
- comes with edge protection coating, moisture repellent
- ALUCA covers mean original lashing points can be used
- Gluing is suitable for outdoor use according to BS 6566, BFU100 according to DIN 68705, EN 636, DIN EN 1084 class A



COVER FOR RECESSED STRAP ATTACHMENT RING

- made from plastic, with cover





ALUMINIUM LASHING RAIL SQUARE 28 MM

- for screwing on (e.g. support frame)
- suitable for all lashing straps with fitting and locking bars

Item no.	L (mm)
107009	Piece goods
107010	950
107011	1050
103679	3000



ALUMINIUM LASHING RAIL SEMICIRCULAR 42 MM

- for screwing on (e.g. to crossbar)
- suitable for all lashing straps with fitting and locking bars

Item no.	L (mm)
100974	Piece goods
100963	990
100964	1490
100965	3000



ALUMINIUM FLOOR LASHING RAIL

- for embedding in the base plate from below
- suitable for all lashing straps with fitting and locking bars

Item no.	L (mm)
100975	Piece goods
103676	2998



ALUMINIUM FLOOR LASHING RAIL

- for embedding in the base plate from above
- suitable for all lashing straps with fitting and locking bars

Item no.	L (mm)
100976	Piece goods
103677	2998

ACCESSORIES FOR LASHING RAILS



ALUMINIUM LASHING POINT

- for flexible mounting using screws in the vehicle or on the vehicle device

Item no.	L x W (mm)
106153	48 x 28



FITTING

- for lashing rails and lashing points
- with webbing compartment
- Load-bearing capacity 500 daN

Item no.	L x W (mm)
106366	48 x 28



SCREW FITTING

- made from galvanized steel
- for mounting on the lashing rail to screw in accessories tightly
- Thread M8

Item no.	Clamping range (mm)
101012	0 - 2
103681	0 - 17



LASHING STRAP WITH RATCHET AND FITTING

- for direct use with lashing rails
- Clamping force up to 300 daN
- available in 3 lengths and different lengths of fixed ends
- also available as a set with 4 or 5 fittings

Item no.	L x W (mm)	Description
100979	1000 x 25	Fixed end 130 mm
100980	2000 x 25	Fixed end 250 mm
100981	3000 x 25	Fixed end 500 mm
109472	5000 x 25	Fixed end 500 mm
103268	2200 x 25	incl. 4 fittings
103343	2500 x 25	incl. 5 fittings



LASHING STRAP WITH RATCHET AND FLAT HOOK

- Clamping force up to 600 daN
- comes in 3 different lengths

Item no.	L x W (mm)	Description
100991	1000 x 25	Fixed end 130 mm
100992	2000 x 25	Fixed end 250 mm
103674	5000 x 25	Fixed end 500 mm



TIE-DOWN STRAP WITH CLAMP LOCK AND FLAT HOOKS

- for easy and quick fixing in place of cargo
- Tensioning force 150 daN
- comes in 2 different lengths

Item no.	L x W (mm)	Description
100994	1000 x 25	Fixed end 130 mm
100995	2000 x 25	Fixed end 250 mm



TIE-DOWN STRAP WITH CLAMP LOCK AND FITTING

- for direct use with lashing rails
- Clamping force up to 150 daN
- comes in 3 different lengths


Item no.	L x W (mm)	Description
100982	1000 x 25	Fixed end 130 mm
100983	2000 x 25	Fixed end 250 mm
100984	3000 x 25	Fixed end 500 mm



STRAPPING BELT WITH CLAMP LOCK

- for direct use with lashing rails
- Clamping force up to 300 daN
- comes in 2 different lengths

Item no.	L x W (mm)
110704	1000 x 25
110705	2000 x 25





TRANSPORT SET FOR GAS CYLINDERS

- for small gas cylinders
- Lashing rail
- Ratchet lashing strap 1000 mm
- Crossbar as reinforcement
- Clamping force up to 300 daN
- available in 3 depths: 320, 420 and 520 mm

Item no.	Bay width (mm)
101004	320
101005	420
101006	520



TRANSPORT SET FOR GAS CYLINDERS

- for large gas cylinders
- 2 x lashing rails
- 2 x ratchet lashing straps 1000 mm
- 2 x crossbars as reinforcement
- Clamping force up to 300 daN
- available in 3 depths: 320, 420 and 520 mm

Item no.	Bay width (mm)
101007	320
101008	420
101009	520



NET FOR SECURING LOADS

- with circumferential ratchet lock ring belt or clamp lock belt
- for lashing down different shapes of packaging
- available on request in different dimensions and mesh sizes

Item no.	Material	L (mm)
101014	Belt	1200 x 1800
108316	Rope	1500 x 600



LOCKING BAR

- Load capacity up to 450 daN
- ergonomic operating lever for easy clamping and release
- Telescopic function – only one rod is needed for all positions in the car
- no tool required to adjust it
- Can also be installed horizontally - maximum flexibility for usage
- Anti-twist device at the top for flexible use in the airline and the round hole rail on the floor
- Airline insertion profile allows a wide range of additional uses on all four sides

KIM 4x4

for fixed application areas

KIM 4x4 Airline

with fixed length and airline insertion profile for max. flexibility

KIM 4x4 Profi

various different uses because of 500 mm telescopic travel

KIM 4x4 Airline Profi


with variable lengths and airline insertion profile for vertical and horizontal use



TELESCOPIC LOCKING BAR

- made from aluminium
- can be quickly adjusted without the need to use tools
- can be used vertically and horizontally
- suitable for all lashing rails and rod rails
- available in 4 ranges of adjustment

Item no.	L (mm)
103413	650 - 900
103512	1250 - 1750
103153	1550 - 2050
103360	2000 - 2500





LADDER HOLDER

Inconspicuous, but incredibly helpful: the ALUCA ladder holder

- space-saving, can be stowed directly in the roof liner
- can be adapted to all types of ladders made from different materials and of different lengths (number of rungs)
- possible to hook and secure the ladder outside the vehicle; no need to enter the vehicle
- additional strap securely fixes the ladder when it needs to be transported
- Can be mounted on existing lashing rails that are attached transversely to the roof using screw points or roof rails

Item no.

W x D x H (mm)

110627

140 x 1800 x 265



WINDOW GRILLE FOR PARTITIONING

- ensures protection for people in the driver's cab
- durable and resistant design
- made from powder coated aluminium
- Black matte colour, prevents disturbing light reflections in windshield and rearview mirror
- simple and fast retrofitting
- low dead weight
- good visibility thanks to narrow divisions and large perforations



ANTI-SLIP MAT FOR DRAWERS AND SHELF TRAYS

- textured black inlay mat
- anti-slip and noise absorbing
- robust, mechanically resilient quality
- washable up to 60°C using a standard mild detergent
- Thickness 2.5 mm
- available as cut-to-size or rolled material

Item no.	D (mm)	Usage
104466	238	Shelf tray, shelf 250 mm
102700	268	Drawer, turned block, depth 320
102701	291	Racking shelves, shelf 300 mm
102702	308	Shelf tray, shelf 320 mm
104468	317	dimension2 drawer, bay width 360
102703	368	Drawer, turned block, depth 420
102704	391	Racking shelves, shelf 400 mm
102705	408	Shelf tray, shelf 420 mm
104469	417	dimension2 drawer, bay width 460
102706	468	Drawer, turned block, depth 520
102707	491	Racking shelves, shelf 500 mm
102708	508	Shelf tray, shelf 520 mm
105506	540	dimension2 bay width 582.5
104470	663	dimension2 drawer, bay width 705
102936	685	Drawer, turned block, depth 735
104403	723	Shelf tray, shelf 735 mm
102709	1000	Universal
102710	1200	Universal



FINE GROOVE MAT

- is suitable as a protective mat for lengthy goods or item boxes
- anti-slip and noise absorbing

Item no.	Depth (mm)	Usage
102697	292	Shelf 300 mm
102698	392	Shelf 400 mm
102699	492	Shelf 500 mm
104480	1000	Universal
104481	1200	Universal



Rugged ANTI-SLIP MATS

- can be used as insert floor mats for vans
- extremely stable and tear resistant
- Thickness 4.5 mm
- very high coefficients of sliding friction up to 10 t/m²
- depending on friction surface - μ 0.94-1.49
- noise insulating and cold insulating
- enclosed surface, therefore no absorption of liquids
- not sensitive to most acids, alkalis, or petrol and diesel
- can be tightly rolled up and easy to store

Item no.	W x L (mm)
105737	800 x 4000
105738	1000 x 4000
105739	1200 x 4000
105230	1600 x 4000
105740	1000 x 8000



ANTI-SLIP MATS, PADS

- to prevent loads from scratching and slipping
- extremely stable and tear resistant
- Thickness 4.5 mm
- very high coefficients of sliding friction up to 10 t/m²
- depending on friction surface - μ 0.94-1.49
- suitable for intermediate storage
- handy and lightweight
- can be used again and again
- can be stored anywhere to save space - will fit in any drawer

Item no.	W x L (mm)
109405	150 x 150
105741	200 x 240
105742	600 x 800
105743	1200 x 800



The image shows a close-up of a metal storage rack system. The rack is made of dark grey or black metal with perforated panels. Several white, rectangular storage boxes are mounted on the rack. Below the boxes, there are several curved, perforated metal trays. The lighting is dramatic, with strong highlights and deep shadows, creating a professional and industrial feel.

ALUCA Easy-Box Series

The Easy-Box Series is designed so that your everyday work becomes even easier and you can enjoy the best possible support for your daily business activities.

Whether it's tools, consumables or various accessories, the ALUCA case and box range mean you can benefit from different storage options for your equipment, while ensuring it is safely stowed away and carefully transported.

Benefits to your everyday work activities:


- ✓ Optimal visibility of all your work equipment in the vehicle device
- ✓ Quicker access to contents and increased efficiency of work processes
- ✓ Cases and boxes can be combined with each in accordance with individual industry-specific requirements






V-BOX - Well thought out small parts box

- Equipment can be transported in a clearly arranged and sensible manner
- Viewing window for immediate visibility
- can be divided for carefully thought-out sorting of small parts and separation of contents
- can be extended
- can be stacked
- robust material for durability
- recyclable
- can be applied to shelves or racking shelves
- optimal use of space due to internal guide
- Labelled with labels
- available in 4 depths and 2 widths



Item no.	Description	W x D x H (mm)
112326	V-Box with viewing window 25S	130 x 198 x 90
112327	V-Box with viewing window 32S	130 x 298 x 165
112328	V-Box with viewing window 32B	264 x 298 x 165
112329	V-Box with viewing window 42S	130 x 398 x 165
112330	V-Box with viewing window 42B	264 x 398 x 165
112331	V-Box with viewing window 52S	130 x 451 x 165
112332	V-Box with viewing window 52B	264 x 451 x 165

ACCESSORIES FOR V-BOX



GUIDE AND LABELLING CARDS

- Guide for V-BOX
- Labelling clips for V-Boxes in 2 different sizes

Item no.	Description	W x D x H (mm)
112325	V-Box guide	47 x 110 x 11
112333	Partition V-Box 25S	118 x 6 x 68
112334	Partition V-Box 32/42/52 S	118 x 6 x 143
112335	Partition V-Box 32/42/52 B	252 x 6 x 143
112775	V-Box label narrow	102 x 11 x 17
112776	V-Box label wide	237 x 11 x 17

LV-BOX - LIGHTWEIGHT SHELVING BOX



- can be divided for carefully thought-out sorting of small parts and separation of contents
- robust material for durability
- can be applied to shelves, racking shelves or trays
- can be labelled
- available in 3 depths and 3 widths each

Item no.	W x D x H (mm)
109271	93 x 300 x 83
109268	93 x 400 x 83
109274	93 x 500 x 83
109272	152 x 300 x 83
109269	152 x 400 x 83
109275	152 x 500 x 83
109273	186 x 300 x 83
109270	186 x 400 x 83
109276	186 x 500 x 83



ACCESSORY ITEMS FOR LV-BOX



PARTITION WALLS

- Partitions for racking boxes
- available in different widths
- to divide the individual shelving box into different compartments

Item no.	Partition wall VE = 1	Item no.	Partition walls VE = 25
102815	for width 93 mm	102816	for width 93 mm
102817	for width 152 mm	102818	for width 152 mm
102819	for width 186 mm	102820	for width 186 mm



EURO-BOX

- Euro standard container
- extremely robust
- made from shock- and impact-resistant plastic
- ESD conductive (antistatic equipment)
- Composite base on outer rim of container
- Stacking feet allow them to all join together
- Labelled with labels
- can be ordered in 2 heights and 2 sizes each



Item no.	W x D x H (mm)
107480	400 x 300 x 150
107481	400 x 300 x 280
107482	600 x 400 x 150
107483	600 x 400 x 280





M-CASE - MOBILE PRODUCT CASE

- easy sorting and storage of small parts – material is intuitively and quickly to hand
- using various configurable partition boxes, any small parts can be flexibly and individually arranged as per industry-specific requirements
- can be used on the go so you have everything with you on site – unnecessary distances between the construction site and vehicle are minimized, meaning you save time and can work even more efficiently
- The transparent lid allows consumables and accessories to always be in view
- the resilient, robust material used to manufacture this case is ready for any challenge
- recyclable
- case closes securely due to innovative handle technology
- can be marked using ID labels



Item no.	Description	W x D x H (mm)
112414	M-Case 80-25	421 x 361 x 78
112415	M-Case 80-15	421 x 361 x 78
112416	M-Case 80-14	421 x 361 x 78
112417	M-Case 80-13	421 x 361 x 78
112420	M-Case 80 empty	421 x 361 x 78

ACCESSORIES FOR M-CASE



Item no.	Description	W x D x H (mm)
112422	M-Case perforated foam	393 x 273 x 20
112433	M-Case 80 Inset BA6-1	157 x 39 x 69
112434	M-Case 80 Inset BA7-1	109 x 79 x 69
112435	M-Case 80 Inset BA7-2	218 x 79 x 69
112436	M-Case 80 Inset BA8-1	79 x 55 x 69
112437	M-Case 80 Inset BA8-2	157 x 55 x 69
112438	M-Case 80 Inset BA8-3	235 x 55 x 69



100925

ALU-CASE - HIGH

- lightweight and robust
- ergonomic handle
- functionally secure closure
- One-hand operation
- optionally available with 2 partition walls and 2 plug-in walls or tool inserts

Case dimensions (outer):




100926



100928

Item no.	Description
100925	without contents
100926	2 partition walls and 2 plug-in walls
100928	23 insetboxes + tool insert

ACCESSORIES FOR ALU-CASE HIGH



PARTITION AND PLUG-IN WALL

- can be retrofitted individually

Item no.	Description
102874	Partition wall, D 298 mm
102875	Plug-in wall, W 116 mm
102876	Plug-in wall, W 177 mm



ANTI-SLIP MAT

- textured black inlay mat
- anti-slip and noise absorbing
- robust, mechanically resilient quality
- washable up to 60°C using a standard mild detergent
- Thickness 2.5 mm

Item no.	Description
102880	Anti-slip mat



100919

ALU-CASE - LOW

- lightweight and robust
- ergonomic handle
- functionally secure closure
- One-hand operation
- Insetboxes made from impact-resistant plastic

Case dimensions (outer):



100920



100924



100921



100922



100923



100927

Item no.	Description
100919	without contents
100920	48 insetboxes
100924	24 insetboxes
100921	12 insetboxes
100922	8 insetboxes
100923	23 insetboxes
100927	Insert for 165 burner nozzles





FLEXISTACK - FLEXIBLE CASE LOCK

- enables several M-Cases to be integrated next to, and on top of, each other on the racking/shelves
- reduces weight and optimises use of space utilization of the vehicle device by using fewer components
- Independent rails
- can be positioned individually
- can be expanded vertically and horizontally
- safe transport
- easy to retrofit



Item no.	Description	W x D x H (mm)
112445	FlexiStack 1-gang	435 x 369 x 102
112446	FlexiStack 2-gang	435 x 369 x 200
112447	FlexiStack 3-gang	435 x 369 x 299







106526

L-BOXX 102

- made from shock- and impact-resistant ABS plastic
- can be firmly connected to each other using a quick-click system and then released again at the touch of a button
- External dimensions W x D x H: 447 x 357 x 117 mm



106614



106615



106616



106620

Item no.	Description
106526	without insetboxes
106614	2 x U3, 6 x partitions 30 x A3 red
106615	2 x U3, 6 x partitions 15 x B3 yellow
106616	2 x U3, 6 x partitions 5 x D3 green
106620	Perforated foam

ACCESSORY ITEMS FOR L-BOXX 102



106530



106534



106539



106542

Item no.	Description
106530	Lid insert for empty case
106534	Perforated foam
106539	Document bag
106542	Tool card



106527

L-BOXX 136

- made from shock- and impact-resistant ABS plastic
- can be firmly connected to each other using a quick-click system and then released again at the touch of a button
- available with tool card, perforated foam, document compartment or laptop insert
- External dimensions W x D x H: 442 x 357 x 151 mm



106621



106622

Item no.	Description
106527	without contents
106621	with perforated foam
106622	Tool card





106528

L-BOXX 238

- made from shock- and impact-resistant ABS plastic
- can be firmly connected to each other using a quick-click system and then released again at the touch of a button
- External dimensions W x D x H: 442 x 357 x 253 mm



106623



106629

Item no.	Description
106528	without contents
106623	with tool card
106629	Shelf divider set 3 x G3 green

ACCESSORY ITEMS FOR L-BOXX 136



106530



106534



106539



106542

Item no.	Description
106530	Lid insert for empty case
106534	Perforated foam
106539	Document bag
106542	Tool card

ACCESSORY ITEMS FOR L-BOXX 238



106530



106542

Item no.	Description
106530	Lid insert for empty case
106542	Tool card



106529

L-BOXX 374

- made from shock- and impact-resistant ABS plastic
- can be firmly connected to each other using a quick-click system and then released again at the touch of a button
- External dimensions W x D x H: 442 x 357 x 389 mm



106625



106626

Item no.	Description
106529	without contents
106625	2 x silicone cartridge inserts
106626	2 x foam cartridge inserts

ACCESSORY ITEMS FOR L-BOXX 374



106530



106537



106536



106539

Item no.	Description
106530	Lid insert for empty case
106539	Document bag
106537	Silicone cartridge insert
106536	Foam cartridge insert



LOAD SECURING SYSTEM FOR CARS AND SMALL VANS

- i-BOXX made from shock- and impact-resistant plastic with integrated handle
- 2 x lashing straps with ratchet 1 m
- 4 x tie-down straps with clamp lock 3 m
- 2 x lashing straps with ratchet 2 m
- 4 x anti-slip pads 150 x150 mm
- 6 x fittings
- External dimensions W x D x H: 367 x 316 x 72 mm

Item no.

109410




LOAD SECURING SYSTEM FOR VANS

- i-BOXX made from shock- and impact-resistant plastic with integrated handle
- 2 x lashing straps with ratchet 2 m
- 2 x lashing straps with ratchet 5 m
- 4 x anti-slip pads 150 x150 mm
- 6 x fittings
- External dimensions W x D x H: 367 x 316 x 72 mm

Item no.

109411





other accessories

Organise your commercial vehicle and transform it into your mobile workshop with ALUCA. Our range includes functional accessories such as workbenches, vices, tool holders and much more. One optimum supplement is a suitable power supply for power tools, workplace lighting and your laptop.

- ✓ You are able to react flexibly to your customers' requirements.
- ✓ You can work independently of your fixed workshop or office space.
- ✓ They are mobile and perfectly organised.
- ✓ You can work efficiently.
- ✓ Present a professional profile to your customers.



ROOF RACK

- The roof rack in our range are made from high quality anodized aluminium profiles
- extremely durable and resistant to corrosion
- available to fit numerous vehicle models
- suitable for vehicles with and without C-rail
- low weight – 25% lighter than comparable steel structures
- aerodynamic profiles help to reduce wind noise and drag
- Rear roller system throughout the entire width
- can be quickly and easily mounted
- many vehicles do not require holes to be drilled on the vehicle in order to fix this product



ROOF BAR

- The roof bars in our range have a very robust design
- Aerodynamic profile to reduce wind noise
- Quick and easy assembly
- Lockable on request

Available accessories

- Side supports for safe transport
- Loading tube for roof bar
- Ladder clamp for roof bar





LOADING TUBE FOR ROOF RACK AND ROOF CAGE

- ALUCA offers two different systems of loading tubes
- Constructed from aluminium, it offers stability at a low weight
- fixed system
- suitable for many crossbars
- Load capacity max. 50 kg
- lockable end wall provides maximum safety and strength
- short assembly time of approx. 15 minutes
- no holes required for fixing
- lockable
- in available lengths of 2 to 6 metres



PLATFORM ELEMENTS FOR ROOF CAGE

- platforms can be configured by quantity
- Elements provide an additional loading area for the roof cage and carrier for the entire length
- available for any length



LADDER LIFT

- ALUCA offers two different systems of ladder lifts
- Both of the systems are operated from the ground
- Heavy ladders can be easily fixed onto the roof of the vehicle
- Back and shoulders bear a lighter load because of the ergonomic design
- Safe loading and unloading within seconds
- Safe and lockable (optional)
- Available for almost all commercial vehicles



LADDER CLAMP FOR ROOF RACK

- made from robust composite materials
- provides excellent corrosion protection
- easy assembly
- suitable for up to 4 nested ladder sections
- lockable
- Delivery in pairs

Item no.

106297

Description

1 VE = 1 pair



TAILGATE LADDER

- for mounting on rear doors
- provides quick and safe access to the roof to secure cargo to roof cage or carrier
- wide rungs mean there is enough space to stand firmly on both feet
- no drilling required
- available for most commercial vehicles
- 100% made from stainless materials



TREADS ON STAIRS HAVE IMPACT PROTECTION

- Made from aluminium, thereby saving up to 65% in weight
- Convenient access to loading area
- Ram protection for the back of the vehicle
- simple cushioning for light collisions
- in the event of a greater impact, the impact protection will prevent damage to the vehicle
- no tilting at an oblique impact angle
- completely maintenance-free and wear-free
- anti-slip tread surface in accordance with UVV regulations
- continuous tube construction for high level of stability
- special protective effect as a result of maximum designed suspension travel





LADDER RUBBER

- Sturdy rubber band, width 30 mm
- for quick fixing of light loads

Item no.	Description
100998	Piece goods



LADDER RUBBER - SUSPENSION HOOK

- Suspension hooks for mounting on side panels, perforated walls or support frames
- Suspension hooks can be moved in the perforated grid

Item no.	Description
101000	Suspension hook
101001	Ladder rubber with 2 hooks 1000 x 30 mm
101002	Ladder rubber with 2 hooks 2000 x 30 mm



LADDER RUBBER WITH SUSPENSION KNOB

- Suspension knob for fixing on side panels, perforated walls or support frames
- Suspension knob is screwed tightly
- Ladder rubbers are not an approved aid for securing loads

Item no.	Description
100999	Suspension knob
100985	Ladder rubber with 2 suspension knobs 1000 x 30 mm
100986	Ladder rubber with 2 suspension knobs 1255 x 30 mm
100987	Ladder rubber with 2 suspension knobs 1500 x 30 mm
100988	Ladder rubber with 2 suspension knobs 2000 x 30 mm



101048



101049



101050



101051

DEVICE HOLDER

- for fixing handle tools such as brooms and shovels
- Device holders can be freely positioned sideways on the rail and can be expanded at any time

Item no.	Description
101048	Ø 20 - 30 mm
101049	Ø 30 - 40 mm
101050	Rail, aluminium, L: 500 mm
101051	Rail, aluminium, L: 900 mm



101052



101053





101054

WALL HOOK

- made from aluminium
- sturdy design
- for cables, conductors, etc.

Item no.	H x D (mm)	max. Load-bearing capacity
101052	120 x 80	30 kg
101053	140 x 120	30 kg
101054	215 x 175	50 kg





TOOL HOLDERS

- Base plate made from pressure-resistant plastic with a locking clip for assembly on perforated plates and side panels
- also available in sets

Item no.	Fig.	Description	VE	Dimensions (mm)
101026	1	Single hook	5	L: 38
101027	1	Single hook	5	L: 75
101028	2	Angled hook	5	L: 35
101029	3	Double hook short	5	L: 38; D: 9
101030	3	Double hook short	5	L: 38; D: 16
101031	3	Double hook short	5	L: 38; D: 23
101032	4	Double hook long	5	L: 75; D: 9
101033	4	Double hook long	5	L: 75; D: 16
101034	4	Double hook long	5	L: 75; D: 23
101035	5	Tool holder	5	Ø: 35
101036	5	Tool holder	5	Ø: 55
101037	6	Clamp holder	5	Ø: 14
101038	6	Clamp holder	5	Ø: 19
101039	6	Clamp holder	5	Ø: 25
101040	7	Ring holder	5	Ø: 40
101041	7	Ring holder	5	Ø: 60
101042	7	Ring holder	5	Ø: 80
101043	8	Round hook	5	Ø: 40
101044	8	Round hook	5	Ø: 60
101047	9	Tool clamp	1	Ø: 60



WORKSHOP CLAMP SET

- 15 x clamp holder, Ø 14 mm
- 15 x clamp holder, Ø 19 mm
- 20 x clamp holder, Ø 25 mm

Item no.	Description
109938	50-piece



WORKSHOP HOOK SET

- 25 x single hook 38 mm
- 15 x single hook 75 mm
- 25 x inclined hook 35 mm
- 10 x double hook long 16 mm
- 10 x double hook long 23 mm
- 5 x ring holder, Ø 60 mm
- 5 x round hooks, Ø 40 mm
- 5 x round hooks, Ø 60 mm

Item no.

109939

Description

100 pieces



TRANSPORTER TOOL HOLDER STARTER SET

- 3 x clamp holder, Ø 14 mm
- 3 x clamp holder, Ø 19 mm
- 4 x clamp holder, Ø 25 mm
- 2 x ring holder, Ø 40 mm
- 2 x ring holder, Ø 60 mm
- 1 x ring holder, Ø 80 mm

Item no.

109940

Description

15-piece



TRANSPORTER TOOL HOLDER PROFI SET

- 15 x clamp holder, Ø 14 mm
- 10 x clamp holder, Ø 19 mm
- 15 x clamp holder, Ø 25 mm
- 5 x ring holder, Ø 40 mm
- 3 x ring holder, Ø 60 mm
- 2 x ring holder, Ø 80 mm

Item no.

109941

Description

50-piece





107617

UNIVERSAL HOLDER

- made from aluminium
- for containers up to max. Ø 67 mm
- available for 3, 4 or 5 containers
- for quick access to cleaners, greases, oils, etc.



100898



100899


Item no.	for depth
100898	320
100899	420
107617	520



108094

CARTRIDGE HOLDER

- made from aluminium
- suitable for commercially available cartridges that have an integrated nozzle holder
- available for 5, 7 or 9 cartridges
- suitable for mounting on support frame and side panel



108090



108092

Item no.	for depth
108090	Depth 320 mm
108092	Depth 420 mm
108094	Depth 520 mm



UNIVERSAL DEVICE HOLDER

- made from aluminium
- ideal for the storage of long-handled tools, such as shovels, brooms etc.
- can be used universally, even on the rear doors of a van
- with optional additional crossbeam if tools of different heights are to be transported safely

Item no.	Description
110021	Universal device holder that is suitable for numerous installation scenarios
110022	Additional crossbeam for specific tools or equipment



TOWEL DISPENSER

- including folded towels
- convenient removal of paper towels
- Inspection slot at the front for checking the fill level

Item no.	W x D x H (mm)
108315	276 x 130 x 365



SOAP DISPENSER

- Housing made from impact-resistant plastic, white
- with viewing window
- including 1 l liquid soap

Item no.	Description
100937	W x D x H: 140 x 110 x 270 mm
100940	Spare bottles, VE = 6 bottles



PAPER ROLL HOLDER

- for affixing on the equipment side wall
- very robust design
- quick removal of paper towel
- Delivery without paper roll
- available in two sizes

Item no.	Description
108241	W x D: 220 x 200 mm
108324	Roll of cleaning cloths, white 138 mm
107778	W x D: 390 x 300 mm
108038	Cleaning cloth roll blue, 500 sheets 3-ply



112981

MOBILE HAND WASHING STATION, INCLUDING FILLING AND WALL BRACKET

- Water tank holds enough for about 20-25 hand washes
- You can refill the soap dispenser yourself
- separate dispenser with disinfectant
- with container for one paper roll
- incl. waste rubbish
- Dimensions W x D x H 420 x 170 x 320 mm



Item no.

Description

112981

Mobile hand washing station incl. filling and wall bracket



107743

WATER CONTAINER INCLUDING HOLDER

- made from plastic
- Capacity 15 l
- with outlet tap and filling spout
- Dimensions W x D x H
 - Container including holder: 360 x 175 x 419 mm
 - Container: 349 x 169 x 418 mm
 - Holder: 334 x 175 x 300 mm



100947



100946

Item no.

Description

107743

Water container incl. holder and 1 m hose

100947

Water container incl. 1 m hose

100946

Holder for water canister

VENTILATION AND VENTING



Enclosed motor vehicles travelling with pressurised gas cylinders are legally required to integrate two non-closable openings in the loading area (see GGVS and DVS 0211 bulletin).

The fans have to be arranged diagonally. They each have to have an air passage of 100 cm². It is recommended that one is installed in the opening in the front of the roof area and the second in the rear of the vehicle below.



SIDEWALL FAN

- made from aluminium
- for fixing on the side wall
- Delivery incl. seal
- Suitable for car washes

Item no.	W x H (mm)
101022	140 x 140
101023	200 x 200





SIDEWALL FAN

- made from ABS plastic
- for fixing on the side wall
- Delivery incl. seal
- suitable for car washes

Item no.	Description
101024	1 VE = 1 set



ROOF FAN

- made from plastic
- Mounting hole Ø 54 mm
- incl. adapter for the vehicle roof lining
- very small design
- ideal for vehicle roofs that have narrowly positioned roof beading and cross members
- short assembly time since it is possible to assemble using a punching device
- hardly any accumulation of chips during assembly
- with a DEKRA test certificate, approved according to ADR/GGVSEB/RSEB

Item no.	Diameter (mm)
107634	50



FLOOR VENTILATION GRILLE

- made from stainless steel
- in accordance with ADR/GGVSEB/RSEB

Item no.	Diameter (mm)
101020	135



LED WORKLIGHT

- 12 - 24 VDC / 18 W
- with handle and magnetic base
- Spiral cable with 12 V plug for connection to 12 V socket or cigarette lighter

Item no.	Description
109278	W x H: 104 x 118 mm



LED WORKLIGHT

- 12 - 24 VDC / 18 W
- for fixed mounting on the vehicle
- available with or without on/off switch

Item no.	Description
110708	W x H: 104 x 118 mm
110709	W x H: 104 x 118 mm



LED HANDHELD SPOTLIGHT - EX-PROTECTED

- Working and emergency power light with emergency power function
- Protection class IP 64
- Light head 110° hinged
- 12/24 V DC
- as emergency light according to VDE 0108
- 4-step charge level indicator
- maintenance-free lead-gel battery
- Illumination range up to 170 m
- Main lamp 3 W power LED, 180 lumens, lighting time approx. 5 h
- Pilot lamp LED 5 mm, lighting time approx. 75 h
- including charging station/holder, 230 V AC 50/60 Hz

Item no.	W x H x D (mm)
108114	104 x 245 x 120



LED HANDHELD SPOTLIGHT

- Protection class IP 54, 170 lm
- Light head 110° hinged
- 12/24 V DC
- maintenance-free lead-gel battery
- Illumination range up to 150 m
- Illumination time approx. 5 h, illumination time pilot lamp approx. 75 h
- incl. charging station/holder, 230 V AC 50/60 Hz

Item no.	W x H x D (mm)
106207	104 x 245 x 120



LED LIGHT STRIP WITH 2 MAGNETIC HOLDERS

- 78 LEDs, 1900 lm, 5500 K (daylight)
- 12 VDC / 18 W
- Energy efficiency class A++
- Connection cable length 1 m with female disconnect 4.8 mm
- magnetic holder for non-destructive fixing
- Adhesive force of up to 17 kg

Item no.	L; Ø (mm)
108011	1000; 12



LED CEILING LIGHTS

- LED light 12-24 VDC / 9 W
- with switch
- warm white

Item no.	W x H x D (mm)
108846	500 x 13 x 30



- IP 67, switch IP 40
- 12 VDC / 4 W
- 30 LEDs; 3000 K; 600 lm

Item no.	L x W (mm)
112385	350 x 45



LED BEACONS

- Light hood made from polycarbonate, orange
- LED with 12 x 3 W
- **with adapter base, form A**
- 120 double flashes per minute
- Approval according to ECE R65, IP 67

Item no.	H; Ø (mm)
109412	172; 149



LED BEACONS

- Polycarbonate light hood, orange
- LED with 12 x 3 W
- **with flexible adapter socket**
- 120 double flashes per minute
- Approval according to ECE R65, IP 67

Item no.	H; Ø (mm)
109413	221; 149



LED BEACONS

- Polycarbonate light hood, orange
- LED with 12 x 3 W
- **3-point attachment**
- 120 double flashes per minute
- Approval according to ECE R65, IP 67

Item no.	H; Ø (mm)
108012	115; 154



LED BEACONS

- Light hood made from polycarbonate, orange
- LED with 12 x 3 W
- **with spiral cable and plug for cigarette lighter**
- with magnetic holder for temporary use
- can detach from the vehicle roof at $v_{\text{wind}} > 112$ km/h
- 120 double flashes per minute
- Approval according to ECE R65, IP 67

Item no.	H; Ø (mm)
108013	126; 183

ACCESSORIES FOR BEACONS



Item no.	Description
109421	Beacon base
109420	Beacon base
109415	Adapter
109414	Socket extension tube
109418	Socket extension tube
109416	Angle holder
109417	Support
109419	Telescopic socket extension tube



LED STRIP

- 60 LEDs
- neutral white 4500 K
- 4.8 W/m
- self-adhesive
- can be individually shortened (every 50 mm)
- Length of connection cable 1 m

Item no.	L (mm)
112202	1000


ACCESSORIES FOR POWER SUPPLY IN THE 12-24 VDC RANGE



SOCKET 12 V

- Creates additional connection options in the vehicle
- For the power supply for flashing beacons, cooling units and other electronic devices

Item no.	Description
100949	Mounted socket for small plug
105228	Mounted socket for large plug
100950	Built-in standard socket with hinged cover
100958	2-pin connector
108129	3rd mounted socket for large plug
108130	On-off switch



POWER BAR 230 V

- 5-gang with illuminated on/off switch or 4-gang with LS/DI protection

Item no.	Description
100951	with on and off switch
100952	LS/DI protection



REFRIGERATED DRAWER

- Gross capacity approx. 30 l
- Supply voltage: 12 / 24 V DC
- average power consumption approx. 40 W
- Temperature range: +12 °C to -2 °C
- easy pull-out drawer with ball bearings
- Chilled goods can be very easily accessed
- Continuously variable thermostat
- Unlock and pull out with one handle
- Secure closure

Item no.	W x D x H (mm)
108714	440 x 730 x 250



REFRIGERATOR

- Gross capacity: 64 l incl. 7.2 l freezer compartment
- Supply voltage 12 / 24 V DC
- average power consumption approx. 45 W
- Normal refrigeration and separately insulated freezer compartment (down to -18 °C)
- Hermetic compressor with integrated control electronics
- Undervoltage protection
- Automatic protection against reverse polarity
- Infinitely adjustable thermostat
- Condensation water outflow via hose connection or collecting vessel
- Mechanical door lock

Item no.	Description
109325	incl. mounting material



FIRE EXTINGUISHER 2 KG

- portable fire extinguisher (continuous pressure technology)
- with 2 kg ABC extinguishing powder
- convenient one-handed operation
- incl. vehicle mount
- Ratings: 13 A / 89 B / C
- Approval according to DIN 14406/4 and EN 3

Item no.

W x H x D; Ø

100912

110 x 350 x 125; 110



FIRE EXTINGUISHER 6 KG

- portable fire extinguisher (recharging technology)
- with 6 kg ABC extinguishing powder
- internal pressurised gas cylinder
- Triggered through impact/charge fitting
- Ratings: 34 A / 183 B / C
- Approval according to DIN 14406/4 and EN 3

Item no.

W x H; Ø

104456

210 x 550; 150



HOLDER FOR FIRE EXTINGUISHER 6 KG

- for the safe storage of a fire extinguisher in the vehicle
- has the benefit of being able to remove the fire extinguisher with a quick and safe handle

Item no.

104457



FOLDING CONE WITH FLASHING LIGHT

- foldable, minimal space required
- approved as standard equipment for emergency vehicles in accordance with DIN FNFV for safeguarding dangerous points in road traffic
- high stability and low centre of gravity as a result of the hard rubber base plate
- can be switched from flashing to continuous light
- incl. batteries and protective bag
- available in 2 sizes


Item no.	Installation height (mm)
104970	500
104971	750



HIGH VISIBILITY VEST

- Orange colour
- two circumferential reflective stripes for all-round visibility (360° visibility)
- in accordance with EN ISO 20471:2013

Item no.
108252



EMERGENCY HAMMER WITH STRAP KNIFE

- made from sturdy plastic
- with mounting plate and reflector sticker

Item no.	L x W (mm)
108171	183 x 86



WARNING MARKING - SELF-ADHESIVE

- Piece goods left and right facing
- in accordance with DIN 30710
- Safety for personnel and equipment
- left and right pointing
- Height 141 mm

Item no.	Description
104472	pointing left
104473	legal

GENERAL NOTES

- Our General Terms and Conditions apply and are available at www.aluca.de.
 - Subject to technical changes.
 - No liability for any misprints or errors.
- Decorative items used in the pictures are not part of the scope of delivery.
 - Any form of reprinting or reproduction, including excerpts, may only be carried out with the permission of the publisher.



ALUCA
ALUCA SYSTEM - SYSTEME FÜR
FÜR FACHBEREICHEN

ALUCA
ALUCA SYSTEM - SYSTEME FÜR
FÜR FACHBEREICHEN

ALUCA
ALUCA SYSTEM - SYSTEME FÜR
FÜR FACHBEREICHEN

PULLER

PULLER

WARNING
CAUTION

ALUCA GmbH
Westring 1
74538 Rosengarten
Germany

T +49 791 95040-0
F +49 791 95040-20
www.aluca.de

Distribution through